

AFSLUITERS

EN TOEBEHOREN



TERUGSLAGKLEPPEN

Y - FILTERS

MANOMETERKRANEN

NAALDAFSLUITERS

SCHUIFAFSLUITERS

KLEPAFSLUITERS

SLANGPILAREN

KOGELKRANEN


FIG.5		MESSING VEERBELASTE TERUGSLAGKLEP				KG-800
messaging		G	L	D	Bestel nr.	Prijs
 	1/4"	53,0	19,0	TKV14MS	6,18	
	3/8"	46,5	34,5	TKV38MS	7,04	
	1/2"	47,0	34,5	TKV12MS	6,18	
	3/4"	53,0	42,0	TKV34MS	8,81	
	1"	60,5	47,5	TKV1MS	11,96	
	1-1/4"	66,5	59,5	TKV114MS	16,95	
	1-1/2"	74,0	70,5	TKV112MS	22,50	
	2"	80,0	86,0	TKV2MS	33,91	
	2-1/2"	98,0	102,0	TKV212MS	57,78	
	3"	103,0	125,0	TKV3MS	75,41	
4"	118,5	154,0	TKV4MS	126,62		



FIG. 6		RVS FILTER MET MESSING AANSLUITING				KG-800
messaging		G	A	B	Bestel nr.	Prijs
 	3/8"	45	26,5	FI1RVS	3,34	
	1/2"	48	30	FI12RVS	3,50	
	3/4"	53	37	FI34RVS	4,09	
	1"	59	44	FI1RVS	5,03	
	1-1/4"	66	56	FI114RVS	7,95	
	1-1/2"	70	63	FI112RVS	10,38	
	2"	80	78	FI2RVS	15,14	
	2-1/2"	93	103	FI212RVS	29,62	
	3"	104	120	FI3RVS	35,21	
	4"	119	155	FI4RVS	49,72	





FIG.12		MESSING TERUGSLAGKLEP				KG-800
messaging		G	H	L	Bestel nr.	Prijs
 	3/8"	32	47	TKH38RVS	8,97	
	1/2"	32	47	TKH12RVS	7,87	
	3/4"	35	55	TKH34RVS	10,74	
	1"	40	65	TKH1RVS	15,46	
	1-1/4"	47	76	TKH114RVS	19,67	
	1-1/2"	51	83	TKH112RVS	31,63	
	2"	59	98	TKH2RVS	42,80	
	2-1/2"	68	117	TKH212RVS	59,28	
	3"	77	135	TKH3RVS	96,96	

FIG.13		MESSING Y-FILTER				KG-800
messaging		G	H	L	Bestel nr.	Prijs
 	3/8"	40	55	YF38MS	9,76	
	1/2"	40	58	YF12MS	6,84	
	3/4"	48	70	YF34MS	9,99	
	1"	56	87	YF1MS	14,32	
	1-1/4"	64	96	YF114MS	30,48	
	1-1/2"	73	106	YF112MS	38,35	
	2"	89	126	YF2MS	63,92	
	2-1/2"	107	150	YF212MS	115,29	
3"	120	169	YF3MS	152,62		



MKR/MKH		MANOMETERKRAAN				KG-930
Manometerkraan		Aansl.	Model	Werkdruk Bar	Bestel nr.	Prijs
		1/4"	recht	400	MKR14BIXBU	26,14
		1/4"	haaks	400	MKH14BIXBU	26,14


FIG. 25		MESSING NAALDAFSLUITER PN100				KG-800
messing		G	H	L	Bestel nr.	Prijs
		1/8"	70	50	NA18MS	49,82
		1/4"	72	50	NS14MS	49,82
		3/8"	72	55	NS38MS	57,69
		1/2"	72	60	NA12MS	78,67
		3/4"	95	75	NA34MS	125,87
		1"	110	100	NA1MS	131,12

FIG. 30		BRONZEN SCHUIFAFSLUITER PN20				KG-800
brons		G	H	L	Bestel nr.	Prijs
		3/8"	70	42	BSA38	21,24
		1/2"	78	46	BSA12	25,02
		3/4"	88	50	BSA34	35,14
		1"	104	56	BSA12	42,29
		1-1/4"	114	60	BSA114	60,56
		1-1/2"	132	66	BSA112	83,99
		2"	154	74	BSA2	127,67
		2-1/2"	199	95	BSA212	222,38
		3"	200	100	BSA3	302,39

FIG. 32		BRONZEN KLEPAFSLUITER PN16				KG-800
brons		G	H	L	Bestel nr.	Prijs
		1/4"	64	46	BKA14	28,85
		3/8"	64	50	BKA38	28,85
		1/2"	64	50	BKA12	39,34
		3/4"	69	55	BKA34	49,82
		1"	82	64	BKA1	76,05
		1-1/4"	99	73	BKA114	104,89
		1-1/2"	107	84	BKA112	138,99
		2"	120	90	BKA2	201,92
		2-1/2"	175	150	BKA212	440,56
		3"	192	167	BKA3	676,57


FIG. 40		MESSING SLANGPILAAR			KG-800
messing		G	D	Bestel nr.	Prijs
	1/8"	6	SP6X18MS	1,09	
	1/8"	8	SP8X18MS	1,09	
	1/4"	6	SP6X14MS	1,27	
	1/4"	8	SP8X14MS	1,27	
	1/4"	10	SP10X14MS	1,27	
	1/4"	13	SP13X14MS	1,35	
	3/8"	6	SP6X38MS	1,72	
	3/8"	8	SP8X38MS	1,50	
	3/8"	10	SP10X38MS	1,46	
	3/8"	13	SP13X38MS	1,54	
	3/8"	15	SP15X38MS	1,54	
	1/2"	8	SP8X12MS	3,37	
	1/2"	10	SP10X12MS	2,06	
	1/2"	13	SP13X12MS	2,06	
	1/2"	16	SP16X12MS	2,06	
	1/2"	20	SP20X12MS	2,06	
	3/4"	13	SP13X34MS	3,45	
	3/4"	16	SP16X34MS	3,15	
	3/4"	20	SP20X34MS	2,51	
	3/4"	25	SP25X34MS	3,52	
1"	20	SP20X1MS	3,52		
1"	25	SP25X1MS	3,82		
1"	27	SP27X1MS	4,01		
1"	32	SP32X1MS	4,87		
1-1/4"	25	SP25X114MS	15,13		
1-1/4"	32	SP32X114MS	5,47		
1-1/4"	39	SP39X114MS	7,68		
1-1/2"	32	SP32X112MS	10,00		
1-1/2"	38	SP38X112MS	8,77		
1-1/2"	45	SP45X112MS	10,49		
1-1/2"	50	SP50X112MS	11,88		
2"	51	SP51X2MS	13,30		
2-1/2"	63	SP63X212MS	32,74		
3"	76	SP76X3MS	44,80		
4"	102	SP102X4MS	68,18		








FIG. 40		MESSING SLANGPILAAR			KG-800
messing		G	D	Bestel nr.	Prijs
	1/4"	10	SP10X14BIMS	1,27	
	1/4"	13	SP13X14MS	1,42	
	3/8"	10	SP10X38MS	1,69	
	1/2"	13	SP13X12MS	2,29	
	1/2"	20	SP20X12MS	2,32	
	3/4"	20	SP20X34MS	2,44	
	1"	25	SP25X1MS	3,78	
	1-1/4"	32	SP32X114MS	6,74	
1-1/2"	38	SP38X112MS	8,54		
2"	51	SP51X2MS	17,91		

FIG. 41		MESSING ZUIGKORF bol model			KG-800
messing		<i>H</i>	<i>D</i>	<i>Bestel nr.</i>	<i>Prijs</i>
 	61	40	ZKB12MS	8,58	
	72	45	ZKB34MS	9,99	
	84	51	ZKB1MS	12,63	
	94	62	ZKB114MS	18,57	
	103	69	ZKB112MS	23,99	
	123	80	ZKB2MS	37,37	
	137	100	ZKB212MS	56,41	
	173	121	ZKB3MS	71,59	
	199	145	ZKB4MS	138,70	

LTSA		MESSING SCHUIFAFSLUITER PN 20			KG-800
messing		<i>H</i>	<i>L</i>	<i>Bestel nr.</i>	<i>Prijs</i>
 	67	33	MSA38	9,55	
	68	43	MSA12	11,46	
	78	47	MSA34	15,92	
	93	53	MSA1	22,16	
	108	57	MSA114	32,03	
	125	61	MSA112	42,10	
	143	67	MSA2	62,16	
	175	74	MSA212	93,17	
	205	86	MSA3	123,30	
	235	98	MSA4	246,72	


GYSA		SCHUIFAFSLUITER GIETIJZER			KG-800
gietijzer		PN 16 Inbouwlengte DIN 3202 - F4			
	<i>Nom.</i>	<i>H</i>	<i>L</i>	<i>Bestel nr.</i>	<i>Prijs</i>
 	50	262	150	GSANW50	204,54
	65	295	170	GSANW65	256,99
	80	331	180	GSANW80	296,33
	100	370	190	GSANW100	367,13
	125	405	200	GSANW125	511,36
	150	445	210	GSANW150	582,16
	200	510	230	GSANW200	917,83

PTFE		AFDICHTINGSTAPE			KG-800
Teflon		Breedte mm.	Rollengte mtr.	<i>Bestel nr.</i>	<i>Prijs</i>
	12	12	PTFETAPE	1,30	

GEKA messing	GEKA SNELKOPP. MET SLANGPILAAR KG-800		
	inw. slang diameter	Bestel nr.	Prijs
	10mm	GEKA10MM	3,93
	13mm	GEKA13MM	3,93
	16mm	GEKA16MM	3,93
	19mm	GEKA19MM	4,15
	25mm	GEKA25MM	4,80
	32mm	GEKA32MM	6,12
	38mm	GEKA38MM	7,86





GEKA messing	GEKA SNELKOPP. MET BINNENDRAAD KG-800		
	<i>Bi</i> Draad	Bestel nr.	Prijs
	3/8"	GEKA38BI	3,93
	1/2"	GEKA12BI	3,93
	3/4"	GEKA34BI	3,93
	1"	GEKA1BI	3,93
	1-1/4"	GEKA114BI	5,87
	1-1/2"	GEKA112BI	6,55




GEKA messing	GEKA SNELKOPP. MET BUITENDRAAD KG-800		
	<i>Bu</i> Draad	Bestel nr.	Prijs
	3/8"	GEKA38BU	3,93
	1/2"	GEKA12BU	3,93
	3/4"	GEKA34BU	3,93
	1"	GEKA1BU	3,93
	1-1/4"	GEKA114BU	4,74
	1-1/2"	GEKA112BU	6,12

GEKA messing	GEKA BLINDKAP KG-800	
	Bestel nr.	Prijs
	GEKAKAP	3,65


GEKA messing	GEKA VERDELER KG-800	
	Bestel nr.	Prijs
	GEKAYVERDELER	16,54


GEKA rubber	GEKA AFDICHTING KG-800	
	Bestel nr.	Prijs
	GEKARUB	0,52


MKK		MINI KOGELKRAAN PN15					KG-560
		<i>G</i>	<i>L</i>	<i>H</i>	<i>R</i>	<i>Bestel nr.</i>	<i>Prijs</i>
messaging		1/8"	39	27	22	MKK18	6,32
		1/4"	39	27,5	22	MKK14	7,07
		3/8"	40	27,5	22	MKK38	7,19
		1/2"	45	29,5	22	MKK12	7,55
		1/8"	39	27	22	MKK18BIXBU	6,32
		1/4"	39	27,5	22	MKK14BIXBU	7,07
		3/8"	40	27,5	22	MKK38BIXBU	7,19
		1/2"	45	29,5	22	MKK12BIXBU	7,55

TL		MESSING VERCHROOMDE KOGELKRAAN Volle doorlaat PN25				KG-190
		<i>G</i>	<i>L</i>	<i>H</i>	<i>Bestel nr.</i>	<i>Prijs</i>
messaging		1/4"	40	38	TL14	4,16
		3/8"	41	38	TL38	4,01
		1/2"	48	43	TL12	6,71
		3/4"	56	46	TL34	8,88
		1"	65	54	TL1	14,12
		1-1/4"	76	67	TL114	24,24
		1-1/2"	85	73	TL112	36,19
		2"	99	83	TL2	56,04
		2-1/2"	132	108	TL212	126,55
		3"	152	117	TL3	169,93
		4"	178	128	TL4	247,66

TL BixBU		MESSING VERCHROOMDE KOGELKRAAN Volle doorlaat PN25				KG-190
		<i>G</i>	<i>L</i>	<i>H</i>	<i>Bestel nr.</i>	<i>Prijs</i>
messaging		1/4"	48,5	38	TL14BIXBU	5,32
		3/8"	50	38	TL38BIXBU	5,32
		1/2"	57,5	43	TL12BIXBU	7,90
		3/4"	63,8	46	TL34BIXBU	10,38
		1"	74,5	54	TL1BIXBU	16,75
		1-1/4"	87	67	TL114BIXBU	28,43
		1-1/2"	98	73	TL112BIXBU	38,85
		2"	113,5	83	TL2BIXBU	61,25

3TL...L		3-WEG KOGELKRAAN L-BORING PN25					KG-190
messing		G	L	H	C	Bestel nr.	Prijs
		1/4"	77	85	58	3TL14L	43,12
		3/8"	77	85	58	3TL38L	43,12
		1/2"	77	85	58	3TL12L	43,12
		3/4"	92	107	70	3TL34L	65,41
		1"	104	124	80	3TL1L	97,51
		1-1/4"	118	134	92	3TL114L	146,25
		1-1/2"	138	145	109	3TL112L	214,13
		2"	162	186	128	3TL2L	316,89

3TL...T		3-WEG KOGELKRAAN T-BORING PN25					KG-190
messing		G	L	H	C	Bestel nr.	Prijs
		1/4"	77	85	58	3TL14T	43,12
		3/8"	77	85	58	3TL38T	43,12
		1/2"	77	85	58	3TL12T	43,12
		3/4"	92	107	70	3TL34T	65,41
		1"	104	124	80	3TL1T	97,51
		1-1/4"	118	134	92	3TL114T	146,25
		1-1/2"	138	145	109	3TL112T	214,13
		2"	162	186	128	3TL2T	316,89

TL/RVS		RVS KOGELKRAAN 1000 WOG			KG-180
RVS		Draad	Lengte	Bestel nr.	Prijs
		1/4"	55	TL14RVS	22,89
		3/8"	55	TL38RVS	22,89
		1/2"	65	TL12RVS	28,09
		3/4"	75	TL34RVS	36,30
		1"	90	TL1RVS	50,49
		1-1/4"	102	TL114RVS	71,37
		1-1/2"	110	TL112RVS	117,89
		2"	110	TL2RVS	155,11
		2-1/2"	165	TL212RVS	453,49
	3"	180	TL3RVS	583,52	